

Product data sheet

Specifications

NetBotz Rack Sensor Pod 150

NBPD0150



Overview

Presentation	Sensor pod optimized for rack mounting that supports 6 Universal Sensors.
Lead time	Usually in Stock

Main

Number of rack unit	1U
Provided Equipment	Cable ties Documentation CD Installation guide Temperature/Humidity Sensor

Physical

Height	1.69 in (4.3 cm)
Width	13.27 in (33.7 cm)
Depth	1.69 in (4.3 cm)
Net Weight	1.34 lb(US) (0.61 kg)
Mounting Location	Front
Mounting preference	No preference
Mounting Mode	Rack-mounted

Conformance

Standards	FCC Part 15 class A ICES-003
Product Certifications	AS/NZS 3548 (C-Tick) Class A CE GOST NOM VCCI Class A

Environmental

Ambient Air Temperature for Operation	32...113 °F (0...45 °C)
Operating altitude	0...10000 ft
Relative Humidity	0...95 %
Ambient Air Temperature for Storage	5...149 °F (-15...65 °C)

Storage altitude	0...50000 ft (0.00...15240.00 m)
Storage Relative Humidity	0...95 %

Ordering and shipping details

GTIN	731304260257
Package weight(Lbs)	4.01 lb(US) (1.82 kg)

Packing Units

Package 1 Height	2.52 in (6.4 cm)
Package 1 width	17.99 in (45.7 cm)
Package 1 Length	8.74 in (22.2 cm)

Offer Sustainability

EU RoHS Directive	Compliant EU RoHS Declaration
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Contractual warranty

Warranty	2 years repair or replace
-----------------	---------------------------

Product data sheet

Specifications



APC Temperature Sensor

AP9335T

Product availability : Stock - Normally stocked in distribution facility

Overview

Presentation	Universal sensor that monitors temperature in your Data Center or Network Closet.
Lead time	Usually in Stock

Main

Number of rack unit	0U
Provided Equipment	Installation guide Temperature Sensor

Physical

Color	Black
Height	0.20 in (0.5 cm)
Width	0.20 in (0.5 cm)
Depth	0.20 in (0.5 cm)
Net Weight	0.31 lb(US) (0.14 kg)
Mounting Location	Front Rear
Mounting preference	No preference
Mounting Mode	Rack-mounted

Environmental

Ambient Air Temperature for Operation	32...131 °F (0...55 °C)
Operating altitude	0...10000 ft
Relative Humidity	0...95 %
Ambient Air Temperature for Storage	5...149 °F (-15...65 °C)
Storage altitude	0...50000 ft (0.00...15240.00 m)
Storage Relative Humidity	0...95 %

Ordering and shipping details

Category	09305-INDUSTRIAL UPS
Discount Schedule	IUPS

GTIN	731304234012
Nbr. of units in pkg.	1
Package weight(Lbs)	1 lb(US) (0.45 kg)
Returnability	No

Packing Units

Package 1 Height	0.39 in (1 cm)
Package 1 width	10.00 in (25.4 cm)
Package 1 Length	5.98 in (15.2 cm)

Offer Sustainability

California proposition 65	WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov
RECh Regulation	RECh Declaration
RECh free of SVHC	Yes
EU RoHS Directive	Compliant EU RoHS Declaration
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.
Take-back	Take-back program available

Contractual warranty

Warranty	2 years repair or replace
----------	---------------------------